

L Number	Hits	Search Text	DB	Time stamp
10	286	(600/\$.ccls. 356/39-42.ccls. 604/890.1,891.1,65-67,288.01-288.04.ccls.) and ((implant\$3 implantable) same (actuat\$3 ((drug medicine insulin) with (releas\$3 deliver\$3)) actuat\$3) with (sens\$3 probe detect\$3) ) 4505710.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 13:05
11	8		USPAT	2004/05/26 13:20
14	371	(600/3\$.ccls. 600/4\$.ccls. 356/39-42.ccls. 604/890.1,891.1,65-67,288.01-288.04.ccls.) and ((implant\$3 implantable).ti. (implant\$3 implantable).ab.(implant\$3 implantable).clm.) and (sens\$3 probe detect\$3) and (stor\$3 memory) and (temperature pH glucose analyte concentration \$hemoglobin oxygen bilirubin blood) and (telemet\$ wire\$less)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 13:44
15	186	(600/3\$.ccls. 600/4\$.ccls. 356/39-42.ccls. 604/890.1,891.1,65-67,288.01-288.04.ccls.) and ((implant\$3 implantable).ti. (implant\$3 implantable).ab.(implant\$3 implantable).clm.) and (sens\$3 probe detect\$3) and (stor\$3 memory) and (temperature pH glucose analyte concentration \$hemoglobin oxygen bilirubin blood) and (telemet\$ wire\$less) not ("2002" "2001").AY.	USPAT	2004/05/26 13:44
16	238	(600/\$.ccls. 356/39-42.ccls. \$hemoglobin ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$ 604/890.1,891.1,65-67,288.01-288.04.ccls.) and ((implant\$3 implantable) with (sens\$3 probe detect\$3)) and ((implant\$3 implantable) with (actuator ((drug medicine insulin) with (releas\$3 deliver\$3)) actuat\$3)) not ("2002" "2001" "2000").AY.	USPAT	2004/05/26 14:28
17	649	(600/\$.ccls. 356/39-42.ccls. \$hemoglobin ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$ 604/890.1,891.1,65-67,288.01-288.04.ccls.) and ((implant\$3 implantable) with (sens\$3 probe detect\$3)) and ((implant\$3 implantable) with (actuator ((drug medicine insulin) with (releas\$3 deliver\$3)) actuat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 15:32
21	212	(600/\$.ccls. 356/39-42.ccls. \$hemoglobin ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$ 604/890.1,891.1,65-67,288.01-288.04.ccls.) and ((implant\$3 implantable) with (sens\$3 probe detect\$3)) and ((contamination contaminat\$3 befoul\$3 foul\$3 poison\$3 pollution pollut\$3 taint\$2 clog\$5 obstruct\$4 corrosion corrod\$3) with (sensor probe))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 15:34

20	123	(600/\$.ccls. 356/39-42.ccls. \$hemoglobin ((saturated (blood with (content level)) saturation) with oxygen) (blood with (constituent component analyte glucose)) oximet\$ 604/890.1,891.1,65-67,288.01-288.04.ccls.) and ((implant\$3 implantable) with (sens\$3 probe detect\$3)) and ((contamination contaminat\$3 befoul\$3 foul\$3 poison\$3 pollution pollut\$3 taint\$2) with (sensor probe))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 15:34
19	298	(600/3\$.ccls. 600/4\$.ccls. 356/39-42.ccls. 604/890.1,891.1,65-67,288.01-288.04.ccls.) and ((implant\$3 implantable).ti. (implant\$3 implantable).ab.(implant\$3 implantable).clm.) and (sens\$3 probe detect\$3) and ((stor\$3 memory) with (implantable implant\$3)) and (temperature pH glucose analyte concentration \$hemoglobin oxygen bilirubin blood)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 15:34
22	498	(600/\$.ccls. 356/39-42.ccls. 604/890.1,891.1,65-67,288.01-288.04.ccls.) and ((implant\$3 implantable) same (actuat\$3 ((drug medicine insulin) with (releas\$3 deliver\$3)) actuat\$3) same (sens\$3 probe detect\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/26 15:35